

# FWP - MODELS - FWP Year 1997

Model Class	Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card	Network Card Modem Speed and Type	Sound Card Speakers
A	Dell Std	5166/GXIM Pentium 166	2.0GB W95	32	<input type="checkbox"/>	8X 3.5" 1.44MB	15" Ultrascan 800HS 2MB	3Com Ethernet 10BaseT	Built-in External
A1	Dell Std, w/zip	5166/GXIM Pentium 166	2.0GB W95	32	<input checked="" type="checkbox"/>	8X 3.5" 1.44MB	15" Ultrascan 800HS 2MB	3Com Ethernet 10BaseT	Built-in External
B	Dell Pro	5200/GXIM Pentium 200	2.0GB W95	64	<input type="checkbox"/>	8X 3.5" 1.44MB	17" Ultrascan 1000HS 2MB Diamond Stealth 3D 2400X	3Com Ethernet 10/100	External
B1	Dell Pro, w/zip	5200/GXIM Pentium 200	2.0GB W95	64	<input checked="" type="checkbox"/>	8X 3.5" 1.44MB	17" Ultrascan 1000HS 2MB Diamond Stealth 3D 2400X	3Com Ethernet 10/100	External
C	Dell Pro Laptop	Latitude XPI-CD Pentium 150	1.3GB W95	24	<input type="checkbox"/>	4X 3.5" 1.44MB	12.1" SVGA	3Com PCMCIA 33.6K PCMCIA	Built-in
D	Dell Tech Laptop	Latitude XPI-CD Pentium 150	1.4GB W95	32	<input type="checkbox"/>	4X 3.5" 1.44MB	12.1" SVGA	3Com PCMCIA 33.6K PCMCIA	Built-in
E	Mac Std	PowerMac 7300 PowerPC 180 256K	2.0GB OS7	32	<input type="checkbox"/>	12X High Density	15" Apple Multiple Scan 15	10BaseT Ethernet port	On monitor
E1	Mac Std, w/zip	PowerMac 7300 PowerPC 180 256K	2.0GB OS7	32	<input checked="" type="checkbox"/>	12X High Density	15" Apple Multiple Scan 15	10BaseT Ethernet port	On monitor
F	Mac Pro	PowerMac 8600 PowerPC 200 512K	2.0GB OS7	32	<input checked="" type="checkbox"/>	12X High Density	17" Apple 1710 Video In/Out	10BaseT Ethernet port	On monitor
G	Mac Pro Laptop	PowerBook 1400CS PowerPC 117 128K	.75GB OS7	16	<input type="checkbox"/>	6X High Density	11.3" SVGA	10BaseT Ethernet port 28.8K	Built-In
H	Mac Tech Laptop	PowerBook 1400C PowerPC 133 128K	1.0GB OS7	16	<input type="checkbox"/>	6X High Density	11.3" SVGA	10BaseT Ethernet port 28.8K	Built-In

# FWP - MODELS - FWP Year 1998

Model Class		Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card		Network Card Modem Speed and Type	Sound Card Speakers
A	Dell Std	Optiplex GN+/M	MMX Pentium 166 512K PBC	2.0GB W95	32	<input type="checkbox"/>	12/24X 3.5" 1.44MB	17",15.9"	1000HS Trinitron 2MB Integrated	3Com Etherlink 10/100 TX	Creative Labs AWE16 Altec Lansing ACS90
A1	Dell Std	Optiplex GN+/M	MMX Pentium 166 512K PBC	2.0GB W95	32	<input type="checkbox"/>	12/24X 3.5" 1.44MB	17",15.9"	1000HS Trinitron 2MB Integrated	3Com Etherlink 10/100 TX	Creative Labs AWE16 Altec Lansing ACS90
B	Dell Pro	Optiplex GN/MT	MMX Pentium 233 512K PBC	2.0GB W95	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	17",15.9"	1000HS Trinitron 2MB Integrated	3Com Etherlink 10/100 TX	Creative Labs AWE16 Altec Lansing ACS90
B1	Dell Pro	Optiplex GN/MT	MMX Pentium 233 512K PBC	2.0GB WNT	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	17",15.9"	1000HS Trinitron 2MB Integrated	3Com Etherlink 10/100 TX	Creative Labs AWE16 Altec Lansing ACS90
B2	Dell Pro	Optiplex GN/MT	MMX Pentium 233 512K PBC	2.0GB W95	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	17",15.9"	1000HS Trinitron 2MB Integrated	3Com Etherlink 10/100 TX	Creative Labs AWE16 Altec Lansing ACS90
C	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB W95	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
C1	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB W95	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
C3	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB W95	64	<input checked="" type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
C4	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB WNT	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
C5	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB WNT	64	<input type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
C6	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB WNT	64	<input checked="" type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
C7	Dell Tech	Optiplex Gxa	MMX Pentium II 266 512K PBC	4.3GB WNT	64	<input checked="" type="checkbox"/>	12/24X 3.5" 1.44MB	21",19"	TD Trinitron 8MB Matrox Millenium II	3Com 3C905-TX 10/100	Creative Labs AWE16 Altec Lansing ACS90
D	Dell Pro Laptop	Latitude Xpi CD	Pentium 166 256K SRAM L2	2.1GB W95	32	<input type="checkbox"/>	12X 3.5" 1.44MB	12.1"	Active Matrix Color SV 2MB PCI Local Bus	3Com ethernet LAN 33.6K	16-bit WAV-table SB C Built-in
E	Dell Tech Laptop	Latitude Xpi CD	Pentium 166 256K SRAM L2	3.0GB W95	64	<input type="checkbox"/>	12X 3.5" 1.44MB	12.1"	Active Matrix Color SV 2MB PCI Local Bus	3Com ethernet LAN 33.6K	16-bit WAV-table SB C Built-in
F	Mac Std	M6141LL/A PowerMac G3	G3 233 512K	4.0GB OS8	32	<input type="checkbox"/>	24X 1.4MB Apple	15"	Apple Multiple Scan 15 2MB	Ethernet TP, LocalTalk	Built-in
G	Mac Pro	M6202LL/A PowerMac G3	G3 266 512K	4.0GB OS8	64	<input checked="" type="checkbox"/>	24X 1.4MB Apple	17"	Apple 720 6MB	Ethernet TP, LocalTalk	Built-in
H	Mac Tech	M6142LL/A PowerMac G3	G3 266 512K	6.0GB OS8	64	<input checked="" type="checkbox"/>	24X 1.4MB Apple	20"	Apple 850 6MB	Ethernet TP, LocalTalk	Built-in
H1	Mac Tech	M6142LL/A PowerMac G3	G3 266 512K	6.0GB OS8	64	<input checked="" type="checkbox"/>	24X 1.4MB Apple	20"	Apple 850 6MB	Ethernet TP, LocalTalk	Built-in

# FWP - MODELS - FWP Year 1998

<i>Model Class</i>	<i>Description</i>	<i>Processor Mhz Cache</i>	<i>HD OS</i>	<i>RAM Xtra</i>	<i>ZIP Xtra</i>	<i>CD Floppy</i>	<i>Monitor Size and Type Video RAM and Card</i>	<i>Network Card Modem Speed and Type</i>	<i>Sound Card Speakers</i>
I	Mac Pro Laptop PowerBook 2400C	PowerPC 603e 200 128K L2	1.3GB OS8	32	<input type="checkbox"/>	12X 1.4MB Apple	11.3" Active Matrix	Ethernet TP (3Com), LocalTalk 33.6K 3Com PCMCIA NET	Built-in Built-in
J	Mac Tech Laptop PowerBook G3	PowerPC 603e 250 256K L2	5.0GB OS8	32	<input type="checkbox"/>	20X 1.4MB Apple	12.1" Active Matrix	Ethernet TP (built-in), LocalTalk 33.6K Built-in	Built-in Built-in

# FWP - MODELS - FWP Year 1999a

Model Class	Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card	Network Card Modem Speed and Type	Sound Card Speakers
A	Dell Std	Optiplex G1+ P6 266 512K L2	4.3GB W95	64	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	17",15.9" 1000LS Dell 2MB Built-in Video S3	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing
B	Dell Pro	Optiplex Gx1/MT+ PII 333 512K L2	4.3GB W95	64	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	19",17.9" 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing
B7	Dell Pro, w/zip,32xram	Optiplex Gx1/MT+ PII 333 512K L2	4.3GB W95	64	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	19",17.9" 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing
C	Dell Tech	Optiplex Gx1/MT+ PII 350 512K L2	6.4GB W95	64	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	19",17.9" 1200HS Dell 8MB Matrox Millennuim II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing
C6	Dell Tech, w/NT,64xram,zip	Optiplex Gx1/MT+ PII 350 512K L2	6.4GB WNT	64	<input checked="" type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	19",17.9" 1200HS Dell 8MB Matrox Millennuim II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing
D1	Dell Pro Laptop	Latitude CP P5 166 256K L2	2.1GB W95	32	<input type="checkbox"/>	11/20X <input type="checkbox"/> 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
E	Dell Tech Laptop	Latitude CP MMX P5 233	3.2GB W95	64	<input type="checkbox"/>	11/20X <input type="checkbox"/> 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
G	Mac Pro	G3 Series G3 266 512K L2	4.0GB OS8	64	<input checked="" type="checkbox"/>	24X <input type="checkbox"/> 3.5" 1.44MB	17" 720 6MB	10Base-T	16bit stereo 120W powered
H	Mac Tech	G3 Series G3 266 512K L2	6.0GB OS8	64	<input checked="" type="checkbox"/>	24X <input type="checkbox"/> 3.5" 1.44MB	20" ColorSync 6MB	10Base-T	16bit stereo 120W powered

# FWP - MODELS - FWP Year 1999b

Model Class		Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card		Network Card Modem Speed and Type	Sound Card Speakers
A	Dell Std	Optiplex G1+	P6 300 512K L2	4.3GB W95	64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	17"(15.9") 1000LS Dell 2MB Built-in Video S3	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
A1	Dell Std, w/32xram	Optiplex G1+	P6 300 512K L2	4.3GB W95	64 32	<input type="checkbox"/>	14/32X 3.5" 1.44MB	17"(15.9") 1000LS Dell 2MB Built-in Video S3	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
A3	Dell Std, w/zip	Optiplex G1+	P6 300 512K L2	4.3GB W95	64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	17"(15.9") 1000LS Dell 2MB Built-in Video S3	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B	Dell Pro	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B1	Dell Pro, w/64xram	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64 64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B1o	Dell Pro, w/64xram,Offman	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64 64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B2	Dell Pro, w/zip,64xram	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64 64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B3	Dell Pro, w/zip	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64	<input checked="" type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B4	Dell Pro, w/NT	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB WNT	64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B5	Dell Pro, w/NT,64xram	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB WNT	64 64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B7	Dell Pro, w/zip,32xram	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64 32	<input checked="" type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
B8	Dell Pro, w/32xram	Optiplex Gx1/MT+	PII 333 512K L2	4.3GB W95	64 32	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 4MB Built-in 4MB Video	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
C	Dell Tech	Optiplex Gx1/MT+	PII 350 512K L2	6.4GB W95	64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 8MB Matrox Millennium II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
C2	Dell Tech, w/64xram,zip	Optiplex Gx1/MT+	PII 350 512K L2	6.4GB W95	64 64	<input checked="" type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 8MB Matrox Millennium II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
C4	Dell Tech, w/NT	Optiplex Gx1/MT+	PII 350 512K L2	6.4GB WNT	64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 8MB Matrox Millennium II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
C5	Dell Tech, w/NT,64xram	Optiplex Gx1/MT+	PII 350 512K L2	6.4GB WNT	64 64	<input type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 8MB Matrox Millennium II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
C6	Dell Tech, w/NT,64xram,zip	Optiplex Gx1/MT+	PII 350 512K L2	6.4GB WNT	64 64	<input checked="" type="checkbox"/>	14/32X 3.5" 1.44MB	19"(17.9") 1200HS Dell 8MB Matrox Millennium II	Integrated 10/100B T/TX	64 PCI Audio Altec Lansing	
D	Dell Pro Laptop	Latitude CP	P5 233 256K L2	3.2GB W95	32	<input type="checkbox"/>	11/20X 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Eth 56K XJACK PCMCIA	Built-in Built-in	

# FWP - MODELS - FWP Year 1999b

Model Class	Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card	Network Card Modem Speed and Type	Sound Card Speakers
D1	Dell Pro Laptop	Latitude CP P5 166 256K L2	3.2GB W95	64	<input type="checkbox"/>	11/20X 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
DE	Dell Pro Laptop	Latitude CP P5 233 256K L2	3.2GB W95	64	<input type="checkbox"/>	11/20X 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
Do	Dell Pro Laptop, w/Offman	Latitude CP P5 233 256K L2	3.2GB W95	32	<input type="checkbox"/>	11/20X 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
E	Dell Tech Laptop	Latitude CP MMX P5 233	3.2GB W95	64	<input type="checkbox"/>	11/20X 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
E8	Dell Tech Laptop, w/dkng	Latitude CP MMX P5 233	3.2GB W95	64	<input type="checkbox"/>	11/20X 3.5" 1.44MB	12.1" Active Matrix TFT SVG 2MB Built-in Video	3Com 10/100B T/TX Fast Ethe 56K XJACK PCMCIA	Built-in Built-in
F	Mac Std	iMAC  233 512K L2	4.0GB OS8	64	<input type="checkbox"/>	20X	15"	10/100 56K	16bit stereo Built-in
G	Mac Pro	G3 Series, M6202LL/A 266 512K L2	4.0GB OS8	64	<input checked="" type="checkbox"/>	24X 3.5" 1.44MB	17" 720 6MB	10Base-T	16bit stereo 120W powered
G1	Mac Pro, w/64xram	G3 Series, M6202LL/A 266 512K L2	4.0GB OS8	64	<input checked="" type="checkbox"/>	24X 3.5" 1.44MB	17" 720 6MB	10Base-T	16bit stereo 120W powered
Go	Mac Pro, w/Offman	G3 Series, M6202LL/A 266 512K L2	4.0GB OS8	64	<input checked="" type="checkbox"/>	24X 3.5" 1.44MB	17" 720 6MB	10Base-T	16bit stereo 120W powered
H	Mac Tech	G3 Series, M6142LL/A 266 512K L2	6.0GB OS8	64	<input checked="" type="checkbox"/>	24X 3.5" 1.44MB	20" ColorSync 6MB	10Base-T	16bit stereo 120W powered
H1	Mac Tech, w/64xram	G3 Series, M6142LL/A 266 512K L2	6.0GB OS8	64	<input checked="" type="checkbox"/>	24X 3.5" 1.44MB	20" ColorSync 6MB	10Base-T	16bit stereo 120W powered
H1o	Mac Tech, w/64xram,Offman	G3 Series, M6142LL/A 266 512K L2	6.0GB OS8	64	<input checked="" type="checkbox"/>	24X 3.5" 1.44MB	20" ColorSync 6MB	10Base-T	16bit stereo 120W powered
I2	Mac Pro Laptop Plus	PowerBook, M6477LL/A 233	2.0GB OS8	32	<input type="checkbox"/>	20X 3.5" 1.44MB	14.1" Active Matrix 2MB	10Base-T 56K	16bit stereo Built-in
I2o	Mac Pro Laptop Plus, w/Offman	PowerBook, M6477LL/A 233	2.0GB OS8	32	<input type="checkbox"/>	20X 3.5" 1.44MB	12.1" Passive Matrix 2MB	10Base-T 56K	16bit stereo Built-in
Io	Mac Pro Laptop, w/Offman	PowerBook, M6477LL/A 233	2.0GB OS8	32	<input type="checkbox"/>	20X 3.5" 1.44MB	12.1" Passive Matrix 2MB	10Base-T 56K	16bit stereo Built-in
J	Mac Tech Laptop	PowerBook, M6357LL/A 250 1M L2	4.0GB OS8	32	<input type="checkbox"/>	20X 3.5" 1.44MB	13.3" Active Matrix 4MB	10Base-T 56K	16bit stereo Built-in

# FWP - MODELS - FWP Year 2000a

Model Class		Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card	Network Card Modem Speed and Type	Sound Card Speakers
A	Dell Pro	Optiplex P6400 GX1/MT+	PII 400 512K L2	6.4GB W95	128	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	17"(16") 1000HS Dell 8MB Integrated 2X AGP	Integrated 10/100	Integrated Harmon Kardon HK195
A1	Dell Pro, w/19"	Optiplex P6400 GX1/MT+	PII 400 512K L2	6.4GB W95	128	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	19"(17.9) 1000HS Dell 8MB Integrated 2X AGP	Integrated 10/100	Integrated Harmon Kardon HK195
A2	Dell Pro, w/19",zip	Optiplex P6400 GX1/MT+	PII 400 512K L2	6.4GB W95	128	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	19"(17.9) 1000HS Dell 8MB Integrated 2X AGP	Integrated 10/100	Integrated Harmon Kardon HK195
A3	Dell Pro, w/zip	Optiplex P6400 GX1/MT+	PII 400 512K L2	6.4GB W95	128	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	17"(16") 1000HS Dell 8MB Integrated 2X AGP	Integrated 10/100	Integrated Harmon Kardon HK195
A4	Dell Pro, w/NT	Optiplex P6400 GX1/MT+	PII 400 512K L2	6.4GB WNT	128	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	17"(16") 1000HS Dell 8MB Integrated 2X AGP	Integrated 10/100	Integrated Harmon Kardon HK195
A5	Dell Pro, w/21",zip	Optiplex P6400 GX1/MT+	PII 400 512K L2	6.4GB W95	128	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	21"(19.8") 1000HS Dell 8MB Integrated 2X AGP	Integrated 10/100	Integrated Harmon Kardon HK195
B	Dell Tech	Optiplex P6400 GX1/MT+	PII 400 512K L2	10GB W95	256	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	19"(17.9) M990 Dell 16MB STB nVIDIA TNT	Integrated 10/100	Integrated Harmon Kardon HK195
B1	Dell Tech, w/21"	Optiplex P6400 GX1/MT+	PII 400 512K L2	10GB W95	256	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	21"(19.8") M990 Dell 16MB STB nVIDIA TNT	Integrated 10/100	Integrated Harmon Kardon HK195
B2	Dell Tech, w/zip	Optiplex P6400 GX1/MT+	PII 400 512K L2	10GB W95	256	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	19"(17.9) M990 Dell 16MB STB nVIDIA TNT	Integrated 10/100	Integrated Harmon Kardon HK195
B3	Dell Tech, w/21",zip	Optiplex P6400 GX1/MT+	PII 400 512K L2	10GB W95	256	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	21"(19.8") M990 Dell 16MB STB nVIDIA TNT	Integrated 10/100	Integrated Harmon Kardon HK195
B4	Dell Tech, w/NT, zip	Optiplex P6400 GX1/MT+	PII 400 512K L2	10GB WNT	256	<input type="checkbox"/>	14/32X <input checked="" type="checkbox"/> 3.5" 1.44MB	19"(17.9) M990 Dell 16MB STB nVIDIA TNT	Integrated 10/100	Integrated Harmon Kardon HK195
B5	Dell Tech, w/NT	Optiplex P6400 GX1/MT+	PII 400 512K L2	10GB WNT	256	<input type="checkbox"/>	14/32X <input type="checkbox"/> 3.5" 1.44MB	19"(17.9) M990 Dell 16MB STB nVIDIA TNT	Integrated 10/100	Integrated Harmon Kardon HK195
C	Dell Tech Laptop	Latitude CPIA366XT	PII 366 256K L2	10GB W95	128	<input type="checkbox"/>	24X <input type="checkbox"/> 3.5" 1.44MB	13.3" TFT 2.5MB NeoMagic 2200	3Com 56K-10/100 LAN/MODE 56kbp Combo Card	Built-in Built-in
D	Mac Pro	PowerPC G3	G3 350 1MB L2	12GB OS8.6	128	<input type="checkbox"/>	None	17"(16") Apple Studio Display 16MB RAGE 128	10/100Base-T Ethernet built-in	Built-in Juster
D1	Mac Pro, w/zip	PowerPC G3	G3 350 1MB L2	12GB OS8.6	128	<input type="checkbox"/>	None <input checked="" type="checkbox"/>	17"(16") Apple Studio Display 16MB RAGE 128	10/100Base-T Ethernet built-in	Built-in Juster
E	Mac Tech	PowerPC G3	G3 450 1MB L2	12GB OS8.6	256	<input type="checkbox"/>	None <input type="checkbox"/>	17"(16") Apple Studio Display 16MB RAGE 128	10/100Base-T Ethernet built-in	Built-in Juster
F1	Mac Tech Laptop, w/zip	G3 PowerBook	G3 400 1MB L2	6GB OS8.6	128	<input type="checkbox"/>	None <input checked="" type="checkbox"/>	14.1" TFT 8MB RAGE LT Pro	10/100Base-T Ethernet built-in 56kbp	Built-in Built-in

# FWP - MODELS - FWP Year 2000b

Model Class		Description	Processor Mhz Cache	HD OS	RAM Xtra	ZIP Xtra	CD Floppy	Monitor Size and Type Video RAM and Card		Network Card Modem Speed and Type	Sound Card Speakers
A	Dell Std/Pro	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A1	Dell Std/Pro, w/128 xRAM	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A2	Dell Std/Pro, w/19" Mon	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A3	Dell Std/Pro, w/128xRAM,19"Mon	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A4	Dell Std/Pro, w/NT	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB WNT	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A5	Dell Std/Pro, w/NT, 128 xRAM	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB WNT	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A6	Dell Std/Pro, w/NT, 19" Mon	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB WNT	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
A7	Dell Std/Pro, w/NT,128xRAM,19"	OptiPlex GX110 DIII600ML7	PIII 600 256K L2	13GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	17" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B	Dell Tech	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB W95	256	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P780 UltraScan Tri Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B1	Dell Tech, w/128 xRAM	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B2	Dell Tech, w/21" Mon	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB W95	256	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B3	Dell Tech, w/128 xRAM,21" Mon	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB W95	128	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B4	Dell Tech, w/NT	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB WNT	256	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B5	Dell Tech, w/NT, 128 xRAM	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB WNT	128	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B6	Dell Tech, w/NT,21" Mon	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB WNT	256	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
B7	Dell Tech, w/NT,128 xRAM,21"	OptiPlex GX110 DIII722ML7	PIII 733 256K L2	20GB W95	256	<input checked="" type="checkbox"/>	8X DVD Integrated	19" 4MB+	Dell P991Trinitron Integrated Intel 3D Graphic	Integrated 3Com EtherLink 10/ None	Sound Blaster AudioPC Harmon/Kardon
C	Dell Std/Pro Laptop	Latitude LS PIII400MHz	PIII 400 256K L2	12GB W95	128	<input checked="" type="checkbox"/>	6X DVD External	12" 2.5MB	Integrated TFT SVGA NeoMagic NM2200 256 bit	Integrated 10/100-Base TX PCI 56kbp Integrated	NeoMagic NM2200 SB Integrated
D	Dell Tech Laptop	Latitude CPxJ PIII650MHz	PIII 650 256K L2	12GB W95	128	<input checked="" type="checkbox"/>	6X DVD Integrated	14" 8MB	Integrated TFT XGA ATI Mobility M1 64-bit	Xircom RealPort CardBus Ethe 56kbp ComboCard	ESS Maestro SB Emul. Integrated

# FWP - MODELS - FWP Year 2000b

Model Class		Description	Processor		HD	RAM	ZIP	CD	Monitor Size and Type		Network Card	Sound Card
			Mhz	Cache	OS	Xtra	Xtra	Floppy	Video	RAM and Card	Modem Speed and Type	Speakers
D1	Dell Tech Laptop, w/128 xRAM	Latitude CPxJ PIII650MHz	PIII 650	256K L2	12GB W95	128	<input checked="" type="checkbox"/>	6X DVD Integrated	14" 8MB	Integrated TFT XGA ATI Mobility M1 64-bit	Xircom RealPort CardBus Ethe 56kbps ComboCard	ESS Maestro SB Emul. Integrated
E	Apple Std	iMac DV SE G3 400MHz	G3 400	512K L2	13GB W95	128	<input checked="" type="checkbox"/>	4X DVD None	15" 8MB	Integrated ATI RAGE 128 VR	Integrated 10/100 None	Integrated Integrated
E1	Apple Std, w/128 xRAM	iMac DV SE G3 400MHz	G3 400	512K L2	13GB W95	128	<input checked="" type="checkbox"/>	4X DVD None	15" 8MB	Integrated ATI RAGE 128 VR	Integrated 10/100 None	Integrated Integrated
F	Apple Pro	PowerPC G4 400MHz	G4 400	1MB L2	20GB W95	128	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
F1	Apple Pro, w/128 xRAM	PowerPC G4 400MHz	G4 400	1MB L2	20GB W95	128	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
F2	Apple Pro, w/21" Mon	PowerPC G4 400MHz	G4 400	1MB L2	20GB W95	128	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
F3	Apple Pro, w/128 xRAM, 21" Mon	PowerPC G4 400MHz	G4 400	1MB L2	20GB W95	128	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
G	Apple Tech	PowerPC G4 500MHz	G4 500	1MB L2	20GB W95	256	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
G1	Apple Tech, w/128 xRAM	PowerPC G4 500MHz	G4 500	1MB L2	20GB W95	256 128	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
G2	Apple Tech, w/21" Mon	PowerPC G4 500MHz	G4 500	1MB L2	20GB W95	256	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
G3	Apple Tech, w/128 xRAM, 21" Mon	PowerPC G4 500MHz	G4 500	1MB L2	20GB W95	256 128	<input checked="" type="checkbox"/>	4X DVD None	17" 16MB	Apple Studio ATI RAGE 128 Pro	Integrated 10/100 None	Integrated Integrated
H	Apple Std/Pro Laptop	iBook SE G3 366MHz	G3 366	512K L2	6GB W95	128	<input checked="" type="checkbox"/>	24X CD None	12" 4MB	Integrated TFT SVGA ATI RAGE Mobility	Integrated 10/100 56kbps Integrated	Integrated Integrated
I	Apple Tech Laptop	PowerBook G3 500MHz	G3 500	1MB L2	12GB W95	128	<input checked="" type="checkbox"/>	6X DVD None	14" 8MB	Integrated TFT XGA ATI RAGE Mobility 128	Integrated 10/100 56kbps Integrated	Integrated Integrated
I1	Apple Tech Laptop, w/128 xRAM	PowerBook G3 500MHz	G3 500	1MB I2	12GB W95	128	<input checked="" type="checkbox"/>	6X DVD None	14" 8MB	Integrated TFT XGA ATI RAGE Mobility 128	Integrated 10/100 56kbps Integrated	Integrated Integrated